Dart Aerospace Ltd. Friday, 11/24/2006 11:15:56 AM Kim Johnston User **Process Sheet** : JET **Drawing Name** Customer : CU-DAR001 Dart Helicopters Services Job Number : 29689A : 10583 **Estimate Number** : D2003077 Part Number P.O. Number . UNDER REVIEW C 6 06.11.24 : 11/24/2006 **Drawing Number** S.O. No. : This Issue : N/A Prsht Rev. : NC **Project Number** : SMALL /MED FAB : // Type **Drawing Revision** ; A First Issue : 27698 Material **Previous Run** : 12/1/2006 Qty: 2 Um: Each **Due Date** Written By Checked & Approved By New issue KJ/JLM : Est: A 04.05.17 Comment **Additional Product** Job Number: Description: **Machine Or Operation:** Seq. #: M6061T6T0375W035 6061-T6 Tube .375 x.035W 1.0 1.0625 f(s)/Unit Total: 2.1250 f(s) Comment: Qtv 6061-T& Tube .375 x.035W Material: 6061-T6 tubing 0.375OD x 0.035" wall (M6061T6T0.375W.035) SMALL & MEDIUM FAB RESOURCE 1 2.0 SMALL FAB Comment: SMALL & MEDIUM FAB RESOURCE 1 1- Cut (2) D2003-077 blank per (1) DSI 9051 Kit 2- Cut blanks: 6.250" long as per template D2003-077 3- Form, drill & flare as per template D2003-077 Identify for D2003-077 Set Screw 3.0 516IN200 2.0000 Each(s)/Unit Total: 4.0000 Each(s) Comment: Qty.: Set Screw Pick: Part Number Description Batch Qty 2 5/16"-.200 Set Screw AN8186D Nut 4.0 Comment: Qty.: 2.0000 Each(s)/Unit Total: 4.0000 Each(s) Nut

Pick:

Qty

2

Part Number

AN818-6D

Description

Nut

Batch

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES	WORK ORDER CHANGES											
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector							
Part No		PAR #· Fault Category:	NCR: Yes	No DO	۸.	Date:								

QA: N/C Closed: ____ Date: ____

NCR:			WORK ORDER NON-CONFORMANCE (NCR)											
		Description of NC		Corrective Action Section B	Varification	erification Approval								
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector						

NOTE: Date & initial all entries

Date: űser:

Friday, 11/24/2006 11:15:56 AM

Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: JET

Job Number: 29689A

Part Number: D2003077

Job Number:



Seq. #:

Machine Or Operation:

Description:

5.0

MS208196D

Sleeve



Comment: Qty.:

Total: 2.0000 Each(s)/Unit

4.0000 Each(s)

Sleeve Pick:

Qty

Part Number

Description

Batch

2

MS20819-6D

Sleeve

6.0

SMALL FAB 1

SMALL & MEDIUM FAB RESOURCE 1



Comment: SMALL & MEDIUM FAB RESOURCE 1

Assemble as per Dwg D2003 Identify as D2003-077

7.0

QC5

INSPECT WORK TO CURRENT STEP





Comment: INSPECT WORK TO CURRENT STEP

8.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock Location:

9.0

QC21

FINAL INSPECTION/W/O RELEASE





Comment: FINAL INSPECTION/W/O RELEASE

Job Completion



U 26.(1.24

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES													
DATE	STEP	PROCEDURE CHANGE	By Date Qty Approval Chief Eng / Prod Mgr Approval QC Inspector												
		•													
Part No		PAR #· Fault Category:	NCR: Yes No DOA: Date:												

QA: N/C Closed: ____ Date: ____

	WORK ORDER NON-CONFORMANCE (NCR)											
	Description of NC		Varification A.	A	Τ							
STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	Approval QC inspector					
					;							
	STEP	STEP Description of NC Section A	STEP Section A Initial	STEP Section A Initial Action Description	STEP Section A Initial Action Description Sign &	STEP Section A Initial Action Description Sign & Section C	STEP Section A Initial Action Description Sign & Verification Approval					

NOTE: Date & initial all entries





		V		
	DESIG	9	DRAWN BY	DART AEROSPACE LTD hawkesbury, ontario, canada
	CHEC	KED	APPROVED	DRAWING NO. REV. B
i	4	10	1 47	D2003 SHEET 1 OF 2
	DATEV	,		TITLE SCALE
	99.0	06.08		206 CABIN HEATER TUBE ASSEMBLIES NTS
	Α		90.04.09	NEW ISSUE
į	В		99.06.08	UPDATE PER TEMPLATES; ADD P/N'S; 0.025 TUBING NOW 0.035 (TSR1049)

RELEASED

MAKE PARTS PER THE BENT TEMPLATE UNDER REVIEW CB 06.11.24

USE FLAT LENGTHS AS REFERENCE. CC. 08.21 CP Some Flat
REPORT CORRET FLAT LENGTH TO ENG.


SHOP COPY RETURN TO

						١		١	1		ENGINEERING CORN	,
		HEATSLEEVE LENGTH¹	CUT LENGTH (REF)	MS20819-8J SLEEVE	AN818-8J NUT	MS20819-8D SLEEVE	AN818-8D NUT	MS20819-6D SLEEVE	AN818-6D NUT	·	UNCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE WORK ORDER NO. 2968	
P/N	TEMPLATE	HEAT	CUT L OF TI	MS208	AN816	MS208	AN818	MS208	AN818	DESC.	MATERIAL 4/6/7	VENDOR OR SPEC
D2003-001	T2003-001	5.2	6.00		1			2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/
D2003-003	T2003-003	7.3	8.12					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/
D2003-005	T2003-005	9.8	10.62					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/
D2003-007	T2003-007	20.0	19.63					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/
D2003-009	T2003-009	12.38	12.44					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/
D2003-011	T2003-011	33.31	32.38					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/
D2003-013	T2003-013	12.7	13.54					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/
D2003-015	T2003-015	17.2	18.00					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/
D2003-017	T2003-017	17.0	16.25					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/
D2003-019	T2003-019	9.8	10.62			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-700/
D2003-021	T2003-021	N/A	2.25			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-700/
02003-023	T2003-023	4.5	5.33			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-700/
02003-025	T2003-025	9.8	10.60			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-700/
02003-027	T2003-027	7.25	7.38			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-700/
02003-029	T2003-029	17.2	18.00			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-700/
02003-031	T2003-031	14.6	15.38	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 30
2003-033	T2003-033	29.75	29.62	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 30
2003-035	T2003-035	24.7	27.00	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 30
2003-037	T2003-037	24.81	23.38	2	2	141				TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 30
2003-039	T2003-039	34.0	34.00	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 30
2003-041	T2003-041	6.0	5.88	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 30
2003-043	T2003-043	11.7	10.75	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 30-
2003-045	T2003-045	3.50	2.44	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
2003-047	T2003-047	5.56	5.56	2	2		1.25			TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 30-
2003-049	T2003-049	33.2	34.00	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 30
02003-077	T2003-077	N/A	6.25					1	1	JET	6061-T6 0.375 OD x 0.035 W	WW-T-700/
02003-101	T2003-101	13.25	13.13					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-600/
02003-103	T2003-103	12.38	12.00					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-600/
02003-105	T2003-105	10.75	10.60					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-600/
2003-107	T2003-107	12.75	12.25					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-600/
02003-109	T2003-109	8.25	8.125			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-600/
02003-111	T2003-111	4.75	4.625			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-600/
2003-116	T2003-116	4.0								HEATSLEEVE	M2650-20 CRINKLE-SOFT	STRATOFLE
02003-120	T2003-120	4.0								HEATSLEEVE	M2650-16 CRINKLE-SOFT	STRATOFLE
02003-120	T2003-14	4.0								HEATSLEEVE	M2650-14 CRINKLE-SOFT	STRATOFLE
02003-16	T2003-16	4.0								HEATSLEEVE	M2650-16 CRINKLE-SOFT	STRATOFLE
02003-10	T2003-205	9.75	9.60					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/
2003-207	T2003-207	3.75	3.75					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/





- ()			
DESIGN	DRAWN BY		EROSPACE LTD
1	1.10	HAWKESB	URY, ONTARIO, CANADA
CHECKED	APAROVED	DRAWING NO.	REV. B
#	14	D2003	SHEET 2 OF 2
DATE	V	TITLE	SCALE
99.06.08		206 CABIN HEAT	ER TUBE ASSEMBLIES NTS



UNDER REVIEW

OG. 08.21 (8)

Some flot / learly

Notes:

- (1) USE STRATOFLEX M2650-6 CRINKLE-SOFT HEATSLEEVE.
- (2) TUBING ASSEMBLIES TO BE CUT AND BENT IN ACCORDANCE WITH TEMPLATES.
- (3) TUBES TO BE FLARED 30° TO MATE WITH FITTINGS MADE TO MS33514.
- (4) ENSURE SEAMLESS TUBING IS USED.
- (5) INSTALL HEATSLEEVE OVER ALL TUBES WITH A DESIGNATED LENGTH OF HEATSLEEVE PER THE PARTS LIST.
- (6) 5052 (WW-T-700/4) TUBING MAY BE SUBSTITUTED WHEN 6061 TUBING IS NOT AVAILABLE.
- (7) 0.049 WALL THICKNESS CRES TUBING MAY BE SUBSTITUTED WHEN 0.035 IS NOT AVAILABLE.
- (8) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED.

